



TECHNICAL DATA SHEET

7581/FK800

7581 is a drape-able mid weight composite fabric combined with FK800, which is a stiff high performance, multifunctional Amino-Silane based finish suitable for laminating with a wide range of resin systems.

Technical data:

Base Fabric		Tolerance	Test Methods
Yarn	Warp Weft	EC9 – 68 EC9 – 68	± 0.5% DIN EN 12654
Thread Count	Warp Weft	23.2 per 1 cm 21.5 per 1 cm	± 0.5% DIN EN 1049 ± 0.5% DIN EN 1049
Tensile Strength (typical)	Warp Weft	N/A N/A	DIN EN 12654
Weight		298 g/m ²	± 5% DIN EN 12127
Weave		8 shaft satin	DIN ISO 9354
Thickness (typical)		0.34 mm	DIN ISO 4603/E
Organic content (typical)		<1%	DIN ISO 1887

Important - Information on the above characteristics is based upon tests we believe to be reliable. The values given are typical values that vary according to application conditions. The values are intended only as a source of information and are given without guarantee and do not constitute a warranty. It should be noted that the substrate test materials are generic and actual results may vary from those given above. Purchasers should independently determine prior to use the suitability of this material for their specific purposes.